Epidemiology & Infection

VOLUME 119, 1997

SENIOR EDITOR
Professor B. Drasar

EDITORS
Dr D. Baxby
Dr K. A. V. Cartwright
Dr D. L. Morse
Professor S. Palmer
Dr D. J. Platt
Dr H. Watanabe
Dr P. J. Wilkinson

MANAGING EDITOR
Dr Professor P. Morgan-Capner

EDITORIAL BOARD
R. M. Anderson
R. D. Barry
P. S. Brachman
M. Chernesky
J. C. de Jong
M. Degré
L. A. Devriese
C. Fairley
R. G. Finch
E. A. C. Follett
R. J. Gilbert
D. J. Hampson
S. A. Howell
T. J. Humphrey
A. P. Kendal
J. B. Kurtz
D. H. Lloyd
S. Logan
T. J. Marrie
C. Martin-Bourgon
O. Meurman
E. Miller
P. P. Mortimer
R. Swanepoel
E. J. Threlfall
H. E. Tillett
J. P. Vandenbroucke
M. J. Woodward

CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1997

Printed in the United Kingdom by the Cambridge University Press, Cambridge

CONTENTS

No. 1 (August 1997)

Swimming-associated haemorrhagic colitis due to *Escherichia coli* O157:H7 infection: evidence of prolonged contamination of a fresh water lake
Ackman, D., Marks, S., Mack, P., Caldwell, M., Root, T. and Birkhead, G. 1

Outbreaks of food poisoning in adults due to *Escherichia coli* O111 and campylobacter associated with coach trips to northern France
Wight, J. P., Rhodes, P., Chapman, P. A., Lee, S. M. and Finner, P. 9

Salmonella isolated from humans, animals and other sources in Canada, 1983–92
Khakhria, R., Woodward, D., Johnson, W. M. and Poppe, C. 15

Minimum inhibitory concentration (MIC) of some antibiotics against *Vibrio cholerae* O139 isolates from Pondicherry
Vijayalakshmi, N., Rao, R. S. and Badrinath, S. 25

Helicobacter antibodies in 1973 and 1994 in the adult population of Vammala, Finland
Kosunen, T. U., Aromaa, A., Knekt, O., Salomaa, A., Rautelin, H., Lohi, P. and Heinonen, O. P. 29

The effect of ice-cream-scoop water on the hygiene of ice cream
Wilson, I. G., Heaney, J. C. N. and Weatherup, S. T. C. 35

Serotyping of *Streptococcus pyogenes* isolated from common and severe invasive infections in Japan, 1990–5: implication of the T3 serotype strain-expansion in TSLS
Inagaki, Y., Konda, T., Murayama, S., Yamai, S., Matsushima, A., Gyobu, Y., Tanaka, D., Tamaru, A., Katsukawa, C., Katayama, A., Tomita, M., Fuchi, Y., Hoashi, K., Watanabe, H. and the Working Group for Group A Streptococci in Japan. 41

The influence of demographic change and cumulative risk of pelvic inflammatory disease on the incidence of ectopic pregnancy
Simms, I., Rogers, P. A. and Nicoll, A. 49

Cryptosporidiosis in children during a massive waterborne outbreak in Milwaukee, Wisconsin: clinical, laboratory and epidemiologic findings
Cicirello, H. G., Kehl, K. S., Addiss, D. G., Chusid, M. J., Glass, R. I., Davis, J. P. and Havens, P. L. 53

Clearance of young parasite forms following treatment of falciparum malaria in humans: comparison of three simple mathematical models
Davis, T. M. E. and Martin, R. B. 61

Epidemiological features of entero non-poliovirus isolations in Belgium 1980–94
Druyts-Voets, E. 71

Assessment of neutralizing antibodies elicited by a vaccine (Nakayama) strain of Japanese encephalitis virus in Taiwan
Shyu, W. R.-H., Wang, Y.-C., Chin, C. and Chen, W.-J. 79

Acute hepatitis B in Edinburgh 1975–92: a retrospective study in a population where human immunodeficiency virus is highly prevalent
Bath, G. E., Scott, T. G., Sibbald, C. J., Upton, P. A., Ramsay, C. N. and Willcocks, L. J. 85

A computer simulation of the transmission dynamics and the effects of duration of immunity and survival of persistently infected animals on the spread of bovine viral diarrhoea virus in dairy cattle
Innocent, G., Morrison, I., Brownlie, J. and Gettinby, G. 91

The stimulating effect of fosfomycin, an antibiotic in common use in Japan, on the production/release of verotoxin-1 from enterohaemorrhagic *Escherichia coli* O157:H7 *in vitro*
Yoh, M. and Honda, T. 101

***Cryptosporidium parvum*: oocyst excretion and viability patterns in experimentally infected lambs**
Bukhari, Z. and Smith, H. V. 105

Book Reviews

Cholera and the Ecology of *Vibrio cholerae* 109
AIDS and Malignancies 110

Legionellae Control in Health Care Facilities 110
Current Management Issues in HIV 110
HIV Infection: A Clinical Approach 111

No. 2 (October 1997)

An outbreak of infection due to verocytotoxin-producing *Escherichia coli* O157 in four families: the influence of laboratory methods on the outcome of the investigation
Chapman, P. A., Siddons, C. A., Manning, J. and Cheetham, C. 113
Incidence and clinical symptoms of *Aeromonas-associated travellers' diarrhoea in Tokyo*
Yamada, S., Matsushita, S., Dejsirilert, S. and Kudoh, Y. 121
Incomplete sanitation of a meat grinder and ingestion of raw ground beef: contributing factors to a large outbreak of *Salmonella Typhimurium* infection
Roels, T. H., Frazak, P. A., Kazmierczak, J. J., Mackenzie, W. R., Proctor, M. E., Kurzynski, T. A. and Davis, J. P. 127
Klebsiella meningitis in Taiwan: an overview
Tang, L.-M., Chen, S.-T., Hsu, W.-C. and Chen, C.-M. 135
***Vibrio furnissii* isolated from humans in Peru: a possible human pathogen?**
Dalsgaard, A., Glerup, P., Høybye, L.-L., Paarup, A.-M., Meza, R., Bernal, M., Shimada, T. and Taylor, D. N. 143
***Helicobacter pylori* in out-patients of a general practitioner: prevalence and determinants of current infection**
Rothenbacher, D., Bode, G., Winz, T., Berg, G., Adler, G. and Brenner, H. 151
Molecular epidemiology of glycopeptide-resistant *Enterococcus faecium* on a renal unit
Chadwick, P. R., Fox, A. and Woodford, N. 159
Antibody levels against *Streptococcus pneumoniae* and *Haemophilus influenzae* type b in a population of splenectomized individuals with varying vaccination status
Konradsen, H. B., Rasmussen, C., Ejstrud, P. and Hansen, J. B. 167
***In vitro* susceptibility studies and detection of vancomycin resistance genes in clinical isolates of enterococci in Nagasaki, Japan**
Hirakata, Y., Yamaguchi, T., Izumikawa, K., Matsuda, J., Tomono, K., Kaku, M., Koga, H., Yamada, Y., Kohno, S. and Kamihira, S. 175
The natural history of tuberculosis: the implications of age-dependent risks of disease and the role of reinfection
Vynnycky, E. and Fine, P. E. M. 183
Immunity to diphtheria in Siena
Gasparini, R., Pozzi, T., Fragapane, E., Severini, R., Cellesi, C., Fabrizi, P., Provvedi, A. and Bergamini, M. 203
An economic analysis of varicella vaccination for health care workers
Gray, A. M., Fenn, P., Weinberg, J., Miller, E. and McGuire, A. 209
The prevalence of hepatitis B in Sweden; A statistical serosurvey of 3381 Swedish inhabitants
Christenson, B., Böttiger, M. and Grillner, L. 221
Rotavirus, astrovirus and adenovirus associated with an outbreak of gastroenteritis in a South African child care centre
Taylor, M. B., Marx, F. E. and Grabow, W. O. K. 227
Risk factors for human cysticercosis morbidity: a population-based case-control study
Cao, W., Van der Ploeg, C. P. B., Xu, J., Gao, C., Ge, L. and Habbema, J. D. F. 231
Prevalence of salmonella in finishing swine raised in different production systems in North Carolina, USA
Davies, P. R., Morrow, W. E. M., Jones, F. T., Deen, J., Fedorka-Cray, P. J. and Harris, I. T. 237
A 1-year study of *Escherichia coli* O157 in cattle, sheep, pigs and poultry
Chapman, P. A., Siddons, C. A., Cerdan Malo, A. T. and Harkin, M. A. 245
Persistence of *Escherichia coli* O157:H7 in dairy cattle and the dairy farm environment
Rahn, K., Renwick, S. A., Johnson, R. P., Wilson, J. B., Clarke, R. C., Alves, D., McEwen, S., Lior, H. and Spika, J. 251
Fine-structure molecular epidemiological analysis of *Staphylococcus aureus* recovered from cows
Fitzgerald, J. R., Meaney, W. J., Hartigan, P. J., Smyth, C. J. and Kapur, V. 261
Human hydatidosis in Dalmatia, Croatia
Morović, M. 271
Changing prevalence of antibody to Dengue virus in paired sera in the two years following an epidemic in

Taiwan
Chen, W.-J., King, C.-C., Chien, L.-Y., Chen, S.-L. and Fang, A.-H. 277
The declining HBsAg carriage rate in pregnant women in Hong Kong
Kwan, L. C., Ho, Y. Y. and Lee, S. S. 281

Letter:

Risk factors for methicillin-resistant *Staphylococcus aureus* (MRSA) infection in a Japanese elderly care nursing home
Washio, M. 285

No. 3 (December 1997)

Cholera in a developing megacity; Karachi, Pakistan
Sheikh, A., Khan, A., Malik, T. and Fisher-Hoch, S. P. 287
Plasmid profiles of drug resistant *Shigella boydii* types 1–5, 8, 10, 12–14 from Ethiopia (1974–85)
Gebre-Yohannes, A. and Drasar, B. S. 293
Human *Escherichia coli* O157:H7 infection associated with the consumption of unpasteurized goat's milk
Bielaszewska, M., Janda, J., Bláhová, K., Minaříková, H., Jíková, E., Karmali, M. A., Laubová, J., Šikulová, J., Preston, M. A., Khakhria, R., Karch, H., Klazarová, H. and Nyč, O. 299
Diabetes mellitus, anti-secretory drugs and other risk factors for campylobacter gastro-enteritis in adults: a case-control study
Neal, K. R. and Slack, R. C. B. 307
A large localized outbreak of *Mycobacterium ulcerans* infection on a temperate southern Australian island
Veitch, M. G. K., Johnson, P. D. R., Flood, P. E., Leslie, D. E., Street, A. C. and Hayman, J. A. 313
Residual moisture determines the level of touch-contact-associated bacterial transfer following hand washing
Patrick, D. R., Findon, G. and Miller, T. E. 319
Analysis of the host-specific haemagglutination of influenza A (H1N1) viruses isolated in the 1995/6 season
Morishita, T., Nobusawa, E., Luo, S., Sato, K., Nakajima, S. and Nakajima, K. 327
Effectiveness of influenza vaccine in reducing hospital admissions in people with diabetes
Colquhoun, A. J., Nicholson, K. G., Botha, J. L. and Raymond, N. T. 335
Infection with human immunodeficiency virus and hepatitis viruses in Chinese drug addicts
Baozhang, T., Kaining, Z., Jinxing, K., Ruchang, X., Ming, L., Caixia, Z. and Li, T. 343
The relationship between therapeutic injections and high prevalence of hepatitis C infection in Hafizabad, Pakistan
Luby, S. P., Qamruddin, K., Shah, A. A., Omair, A., Pahsa, O., Khan, A. J., McCormick, J. B., Hoodbhouy, F. and Fisher-Hoch, S. 349
An outbreak of *Trichinella spiralis* infection in southern Lebanon
Haim, M., Efrat, M., Wilson, M., Schantz, P. M., Cohen, D. and Shemer, J. 357
Present characteristics of symptomatic amebiasis due to *Entamoeba histolytica* in the east-southeast area of Tokyo
Ohnishi, K. and Murata, M. 363
The prevalence of *Serpulina pilosicoli* in humans and domestic animals in the Eastern Highlands of Papua New Guinea
Trott, D. J., Combs, B. G., Mikosza, A. S. J., Oxberry, S. L., Robertson, I. D., Passey, M., Taime, J., Sehuko, R., Alpers, M. P. and Hampson, D. J. 369
Molecular analysis of foot-and-mouth disease type O viruses isolated in Saudi Arabia between 1983 and 1995
Samuel, A. R., Knowles, N. J., Kitching, R. P. and Hafez, S. M. 381
Infection with colonization factor antigen I-expressing enterotoxigenic *Escherichia coli* boosts antibody responses against heterologous colonization factors in primed subjects
Rudin, A., Wiklund, G., Wennerås, C. and Qadri, F. 391

Book reviews
Clinical Virology 395
Antimicrobial Chemotherapy 395
Mutation Detection 396